



TREMBLAY
S O U N D M A T T E R S

MULTIROOM AUDIO CEILING SPEAKER



TREMBLAY


SOUND MATTERS



TM 6.5 MRSA MULTIROOM AUDIO CEILING SPEAKER MASTER

SOUND


TWEETER	1" ALUMINUM
WOOFER	6.5" GLASS FIBRE
IMPEDANCE	6 OHM
POWER HANDLING	10-100W
FREQUENCY RESPONSE	40-20KHZ
SENSITIVITY	88DB



DIFFERENT VIEWS

TREMBLAY


SOUND MATTERS



TM 6.5 MRSA MULTIROOM AUDIO CEILING SPEAKER MASTER

AMPLIFIER PARAMETERS


Wi-Fi	2.4G IEEE802.11 b/g/n
Bluetooth	5.0
Ethernet	RJ45 single 10/100M
Power Input	DC-24V/4A
Power Output	50W x2 @6Ω @25V
Frequency Response	40-20KHZ
SNR	90dB
THD+N	1%, 50W x2 @1KHz
Speaker Impedance	6 OHM
Audio input	3.5mm mini jack
	Optical
Sub output	Yes
Music Format	FLAC/APE/MP3/WAV/ACC/AAC+/ Streaming Protocols
	ALAC AirPlay, DLNA, UPnP, Spotify Connect



DIFFERENT VIEWS

TREMBLAY

SOUND MATTERS




TM 6.5 MRSA MULTIROOM AUDIO CEILING SPEAKER MASTER

DIMENSIONS

Speaker OD	220mm
Speaker Cut out	187mm
Speaker Depth	130mm

WEIGHT


Master Speaker with Amplifier	2KG
Slave Speaker	1.3KG



DIFFERENT VIEWS

TREMBLAY


SOUND MATTERS



TM 6.5 MRSA MULTIROOM AUDIO CEILING SPEAKER SLAVE

SOUND


TWEETER	1" ALUMINUM
WOOFER	6.5" GLASS FIBRE
IMPEDANCE	6 OHM
POWER HANDLING	10-100W
FREQUENCY RESPONSE	40-20KHZ
SENSITIVITY	88DB



DIFFERENT VIEWS

TREMBLAY

SOUND MATTERS




MULTIROOM AUDIO CEILING SPEAKER TM 6.5 MRSA SLAVE

DIMENSIONS

Speaker OD	220mm
Speaker Cut out	187mm
Speaker Depth	130mm

WEIGHT

Master Speaker with Amplifier	2KG
Slave Speaker	1.3KG



DIFFERENT VIEWS